

JD Waterfall Table

Prices Effective March 2023
Published March 2023



Table of Contents

Terms and Conditions	2
Warranty	3
General Specifications	5
Product Overview	6
Finishes	13
Power Module	14
36" Counter Height	15
42" Bar Height	16

Terms and Conditions of Sale

Sales by DatesWeiser (hereinafter called the Seller) are made only on the terms and conditions set forth below. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of the Seller. These terms and conditions supersede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller.

Ordering Information

All orders must be in writing.

A Purchase Order is not binding on the Seller until Purchaser has received Seller's Order Confirmation.

Pricing Policies

All written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period.

Prices are List, F.O.B. from the DatesWeiser factory in **Buffalo, New York**. Shipping, packaging, inside delivery, uncrating, installation, storage, and sales tax (if applicable) shall be in addition to the list price and shall be itemized and charged separately.

List prices are subject to change without notice.

List prices shall be those prices in effect on the date the Seller receives a completed Purchase Order unless shipment is requested more than 120 days after the order entry, in which case prices in effect on the date of shipment apply.

Taxes

All sales, use, excise, and other taxes applicable to the sale of DatesWeiser Products shall be paid by the Purchaser. To claim an exemption from any tax, Purchaser must submit to Seller the appropriate exemption certificates.

Terms of Payment

A fifty percent (50%) deposit is due at the time of order placement and the remainder due within thirty (30) days of the date of invoice.

If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance.

The ship date the Seller specifies is considered the invoice date for billing. The ship date will be confirmed by the Seller via a separate Acknowledgement issued upon receipt of a signed Purchase Order.

Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.

Changes and Cancellations

A confirmed order may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In event of cancellations, Purchaser will be liable for reasonable cancellation charges, including a \$500 administrative fee.

Seller is not required to comply with Purchaser's request to change a confirmed order, but all reasonable requests to change confirmed orders will be honored. Orders for special or custom Product may not be cancelled.

To be effective, a Change Order must be in writing, signed by the Purchaser or Purchaser's agent, and confirmed in writing by the Seller. Change Orders are subject to a charge for materials, labor, and other costs as determined by Seller.

Security Interest

Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.

Customer's Own Material (COM)

A Purchaser who requests a material not standard to Seller's line of Products must submit a sample of the requested material to Seller prior to entry of a purchase order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriter Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM on the Product in question.

Customer's Specified Laminates (CSL)

For custom wood or paint finishes add \$725 net per finish. This is a one-time matching charge. Custom finishes may extend delivery time up to four (4) weeks. Control samples of custom finishes will be provided.

Hardware

Final adjustment of furniture hardware such as hinges, drawer slides, drawer pulls, etc., at the installation and as a punch-list item, if required, is the Purchaser's responsibility.

Design

All Products shown in the Seller's Price List and Specifications Guide are, and remain, the property of the Seller, who reserves the exclusive right to manufacture them. All dimensions shown are to be considered approximate. Seller reserves the right to make changes in price, dimensions, design and/or construction without prior notice.

Shop Drawings

Seller allows for one (1) set of full shop drawings and one (1) round of minor drawing revisions in its pricing and scheduling. Thereafter, any significant changes in design, including dimensions, engineering details, and materials, or delays in reviewing and approving shop drawings, may necessitate additional charges and cause schedule delays. Seller reserves the right to determine the impact of any design changes and/or delays and will promptly notify those involved of any adjustments to cost and schedule.

Field and Hold Dimensions

If a dealer or third party is responsible for providing installation, the following is required: Full responsibility for providing accurate and timely field dimensions or hold to dimensions (in cases where walls are not erected) as it effects the ultimate fit of the installation. As an alternative, upon request, Seller can provide a cost for sending a field technician to the project site to assume responsibility for field dimensions and site evaluation.

FREIGHT AND DELIVERY

Products are carefully inspected and packaged before leaving the factory to ensure they reach their destination in excellent condition. Whenever possible, the Seller will ship in accordance with the Purchaser's instructions. If Purchaser does not specify shipping instructions, Seller will use its best judgment to determine the most suitable shipping method, route, and carrier.

Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect time of delivery.

Storage

If the Purchaser cannot accept delivery per the ship date specified in the Seller's Acknowledgement, the Seller may transfer the merchandise to storage, either at its facility or at another facility.

Purchaser will be charged a storage fee of two percent (2%) of the invoice for every thirty (30) days the products are stored at the Seller's facility.

For products stored in another facility, all out-of-pocket costs of storage, including transportation and warehousing fees, will be at the Purchaser's expense.

The Purchaser will be invoiced for all product charges on the date the Products are transferred to storage. Storage fees will accrue monthly in full month increments (they are not prorated for partial months) and will be added to the first invoice, which will also include non-product charges such as shipping, installation, etc.

Returns

Purchasers may not return Products without Seller's written approval and shipping instructions. Unauthorized returns, and returns shipped inconsistently with Seller's instructions, will be automatically refused by the Seller's receiving department.

Products not currently offered for sale by Seller, including special and custom Products, shall not be authorized for return. All returned Products must be unused, in original condition and in original Seller shipping cartons. No refund or credit shall be given for damaged Products.

CLAIMS

All shipments for Sellers Product are F.O.B. Origin. All risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and note any damage on the Bill of Lading and make an immediate request for inspection of damage by carrier. Seller is not responsible for damage that occurs in transit or storage.

Damage that becomes apparent after the Product is unpacked should be reported to the carrier and the Seller within twenty-four (24) hours of receipt. Damage that is incurred at a furniture dealer's warehouse is the responsibility of the furniture dealer.

For claims relating to Product damaged in transit, or for any other claims relating to or arising out of the transportation of the Product, Purchaser must seek recovery from the carrier. Seller may, upon request, assist Purchaser with filing of such claims with the carrier.

Claims for defects, errors, or shortages must be made in writing by Purchaser against Seller within 72 hours after delivery. Failure to make such claim within 72 hours shall constitute unconditional acceptance of the Products and a waiver of any apparent defects, errors, or shortages.

WARRANTY

Seller warrants its Products to the original Purchaser to be free of defects in workmanship and materials under normal use and under conditions for which the Product was designed for a period of five (12) years. This remedy is exclusive. Seller does not authorize any person to create for it any obligation or liability.

During this warranty period, Seller will repair, or at its option, replace, such Product proven to be defective. Seller shall not be liable for commercial loss or any consequential or incidental damages that may arise as a result of defective Product.

This limited warranty does not apply to:

- Damage caused by a carrier other than the Seller.
- Product not properly maintained per Seller instructions. Maintenance and proper environmental conditions are described in Seller's Published Price List. All furniture should be used in a stable, controlled atmosphere and positioned to avoid direct sunlight. Ideal climate is 65 to 75 degrees Fahrenheit with 30 to 55% relative humidity.
- Normal wear and tear or acts or omissions of parties other than Seller. This warranty does not cover any product repaired or altered by any person not so authorized by Seller, including user modification, improper use or installation of Products.
- Customer's Own Material and Customer's Specified Laminates.
- Durability or suitability of any exterior surface coatings or treatments.
- Matching of color, grains or texture except as specified in the Seller's Order Confirmation and the finish sample.
- Natural variations occurring in wood, stone, and glass shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of colors, grains or textures, or surface hardness of such materials.
- Adequacy of any electronic components.
- Durability of glass used in Product.
- Live Edge natural slabs used for table tops.

Seller must be notified within 72 hours of receipt of shipment for any initial claims for defects, errors or shortages.

To obtain the benefit of this warranty, contact Seller in writing. It is the responsibility of the Purchaser to arrange the return of Product to Seller and to assume all costs relating to any incidental or consequential damages.

Disclaimers

THE EXPRESS WARRANTIES CONTAINED IN THIS SELLING POLICY ARE THE ONLY WARRANTIES THAT DATESWEISER MAKES AND TAKE THE PLACE OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.

Corporate Office / Factory

1700 Broadway Street
Buffalo, NY 14212
p 716.891.1700

JD Waterfall Table - General Specifications

NOTE:

Line drawings in this price list are purely for quick product identification without form of detail and cannot be used to satisfy production dimensions, shape or support options. Refer to Planning Guide for detailed product information.

Wood Components

Tables are constructed using 3/4" thick miter-folded material to create a uniform Leg and Top panel thickness of 3". There are also 1" thick structural center-rails hidden underneath at a height of 5" that provides integrated cable management to hide any power & connectivity cables.

Each Leg has removable access panels to discretely run those same power & connectivity cables to the floor. Eliminating the visual of unsightly dangling cables. Access panels can be mounted flush, if no floor clearance for cables is required for a cleaner look. Or can be raised is cable clearance is required.

Levelers

All table are equipped with floor levelers to level the table.

Grommets

Please contact customer service at customerservice@datesweiser.com or your local DatesWeiser representative to request a quote based on your specify needs. To find your local representative, visit www.datesweiser.com/contacts

Power & Connectivity

Power & connectivity is available in 2 standard options.

Option 1 comes in the form of a corded USB-A\C 12\36W tabletop undermounted system with enough to charge while using most phones or tablets, and some laptops.

Option 2 is an in-surface AC & USB-A\C solution mounted in the tabletop that provides up to 60W of USB-C power depending on the needs of the device being powered to comfortably charge while using most phones, tablets and Laptops. Available in both corded and hardwire versions.

Wood Finishes and Materials

Selecting materials and other features are the first steps to ordering your DatesWeiser furniture. As you move through the steps on the product pages, you will need to fill in the blanks with the codes for the finishes and features you select.

Wood veneers are selected from the finest hardwoods available around the world and top coated with a low-VOC, post-catalyzed finish. The typical sheen is 30%.

Veneers come in three price ranges (Tiers), and described as follows:

1. Cut (Plain-sliced, rift, quartered, engineered)
2. Species (Oak, Walnut, etc.)
3. Finish (Natural, Smoked, Dark, Cerused, etc.

Quartered, rift-cut and engineered veneers are slip matched except for Black Limba.

Plain-sliced veneers are book matched.

Examples:

1. T124 (Denotes Tier 1 Plain sliced Maple, Natural)
2. T227 (Denotes Tier 2 Quartered Walnut, Natural)

Requests for FSC certified materials must be made before an order can be processed.

Finishing Excellence

DatesWeiser collaborates with leading colorists to develop a palette particularly suited to the executive workplace. This range is available on all our products and coordinates with our extensive veneer offering.

To order finish samples, please contact customer service at customerservice@datesweiser.com or your local DatesWeiser representative. To find your local DatesWeiser representative, visit www.datesweiser.com/contacts.

If you do not see what you want, we are happy to work with you to develop a unique product solution.

DatesWeiser printed and veneer samples offer an example of what a typical veneer will look like, within a range of acceptability carefully determined by DatesWeiser. Samples and printed sample materials should be used as reference only.

FSC® Certification: FSC-C003538

Responsibly harvested materials certified by the Forest Stewardship Council are available upon request and may increase pricing. Requests for FSC certified materials or LEED certification must be made before an order is processed

Product Maintenance

Regular dusting with a soft cloth will help prevent fine dust particles from becoming embedded in the finished surface. We recommend using a soft flannel cloth slightly dampened with water, followed by a dry cloth. Always wipe in the direction of the grain.

CAUTION:

Never use a chemically treated cleaning cloth.

For removing residues, smudges, etc., we recommend using a very mild (non-ammonia) soap and water solution. Apply with a soft flannel cloth followed by a dry cloth. Always wipe in the direction of the grain.

We recommend using felt pads on all objects that come into contact with our furniture. Certain vinyl and rubber products can chemically react with the finish on wood if left in contact for extended periods of time. Coasters, place mats, notebook covers, and rubber or plastic feet (found on most accessories) can also damage wood surfaces. To avoid indentations caused by writing instruments, always use a non-vinyl blotter or writing pad.

All furniture should be used in a stable, controlled atmosphere and positioned to avoid direct sunlight. The ideal climate is 65-75°F with 30-55% relative humidity.

Product Overview

Design Features Of Tables

- Panel Thickness: 3.000 " (For both 1- and 2-piece designs)
- Apron Height: 5.000 " (For both 1- and 2-piece designs)
- Veneer finishes only
- Height Adjustable Cable Access Covers on inside of End Panels



42H x 30D x 84W Waterfall Table (1-Piece)



42H x 42D x 120W Waterfall Table (2-Piece)



TABLE CONSTRUCTION: EDGE PROFILES & GRAIN DIRECTION







TABLE CONSTRUCTION: ELEVATIONS, SPLITS & CABLE CHASE




POWER & CONNECTIVITY: POWER UNIT LOCATIONS & QUANTITIES BY WIDTH




POWER & CONNECTIVITY: TOPMOUNT POWER CABLE MANAGEMENT
w\ POWER CONNECTIONS AT ONE END




POWER & CONNECTIVITY: TOPMOUNT POWER CABLE MANAGEMENT
w\ POWER CONNECTIONS AT BOTH ENDS



POWER & CONNECTIVITY: TOPMOUNT CABLE MANAGEMENT
w\ POWER BAR OR JUNCTION BOX



POWER & CONNECTIVITY: PERIMETER USB CABLE MANAGEMENT



Veneer: Tier 1




T102 Rift European White Oak, Natural



T142 Rift American White Oak, Natural




T105 Plain-sliced Walnut, Natural




T131 Reconstituted Macassar Ebony, Natural

Veneer: Tier 2



T206 Plain-sliced Walnut, Smoked



T227 Quartered Walnut, Natural



T228 Quartered Black Limba, Natural




T229 Quartered Wenge, Natural




T207 Plain-sliced Walnut, Dark

Power & Connectivity Options



For Perimeter USB Charging
(Plug-in or Hardwired, always Black)



ECA Cove 60 Drop-In Topmount
(Plug-in, Hardwired & Linkable in various colors from ECA)



USB Perimeter Power
Black = BK



TOPMOUNT POWER
Black = ECB
White = ECGW
Silver = ECS
Brushed Aluminum = ECAL

JD Waterfall Table - Counter Height Meeting Tables

Pattern	Description	Depth	Width	Height	Kneespace	Top Qty (Length)	Seating Capacity (Spacing)	Topmount Qty	Perimeter USB Qty	Veneer T1	Veneer T2	Upcharge For TMPI	Upcharge For TMHW	Upcharge For PUPI	Upcharge For PUHW
30" Deep • 36" High															
07WTM30X72V36 () ()	JD WATERFALL TABLE 30x72x36	30	72	36	31	1(72)	4(36)	1	4	9,300	9,858	826	826	987	1075
07WTM30X84V36 () ()	JD WATERFALL TABLE 30x84x36	30	84	36	31	1(84)	4(42) - 6(28)	1	4	10,654	11,293	826	826	987	1075
07WTM30X96V36 () ()	JD WATERFALL TABLE 30x96x36	30	96	36	31	2(48)	6(32)	1	4	14,319	15,178	826	826	987	1075
07WTM30X108V36 () ()	JD WATERFALL TABLE 30x108x36	30	108	36	31	2(54)	6(36) - 8(27)	2	4	15,248	16,163	1652	1652	987	1075
07WTM30X120V36 () ()	JD WATERFALL TABLE 30x120x36	30	120	36	31	2(60)	8(30)	2	6	16,169	17,139	1652	1652	1364	1457
36" Deep • 36" High															
07WTM36X72V36 () ()	JD WATERFALL TABLE 36x72x36	36	72	36	31	1(72)	4(36)	1	4	10,971	11,629	826	826	987	1075
07WTM36X84V36 () ()	JD WATERFALL TABLE 36x84x36	36	84	36	31	1(84)	4(42) - 6(28)	1	4	11,913	12,628	826	826	987	1075
07WTM36X96V36 () ()	JD WATERFALL TABLE 36x96x36	36	96	36	31	2(48)	6(32)	1	4	15,858	16,809	826	826	987	1075
07WTM36X108V36 () ()	JD WATERFALL TABLE 36x108x36	36	108	36	31	2(54)	6(36) - 8(27)	2	4	16,975	17,994	1652	1652	987	1075
07WTM36X120V36 () ()	JD WATERFALL TABLE 36x120x36	36	120	36	31	2(60)	8(30)	2	6	18,054	19,137	1652	1652	1364	1457
42" Deep • 36" High															
07WTM42X72V36 () ()	JD WATERFALL TABLE 42x72x36	42	72	36	31	1(72)	4(36)	1	4	12,089	12,814	826	826	987	1075
07WTM42X84V36 () ()	JD WATERFALL TABLE 42x84x36	42	84	36	31	1(84)	4(42) - 6(28)	1	4	13,208	14,000	826	826	987	1075
07WTM42X96V36 () ()	JD WATERFALL TABLE 42x96x36	42	96	36	31	2(48)	6(32)	1	4	17,203	18,235	826	826	987	1075
07WTM42X108V36 () ()	JD WATERFALL TABLE 42x108x36	42	108	36	31	2(54)	6(36) - 8(27)	2	4	19,253	20,408	1652	1652	987	1075
07WTM42X120V36 () ()	JD WATERFALL TABLE 42x120x36	42	120	36	31	2(60)	8(30)	2	6	19,845	21,036	1652	1652	1364	1457

Options:

- () Table (Veneer) Finish
- () No Power (NP) • Topmount Plug-In (TMPI) • Topmount Hardwire (TMHW) • Perimeter USB Plug-In (PUPI) • Perimeter USB Hardwire (PUHW)
- () Topmount Finish (If Required)

JD Waterfall Table - Bar Height Meeting Tables

Pattern	Description	Depth	Width	Height	Kneespace	Access Door Width (Max 12")	Top Qty (Length)	Seating Capacity (Spacing)	Topmount Qty	Perimeter USB Qty	Veneer T1	Veneer T2	Upcharge For TMPI	Upcharge For TMHW	Upcharge For PUPi	Upcharge For PUHW
30" Deep • 42" High																
07WTM30X72V42 () ()	JD WATERFALL TABLE 30x72x42	30	72	42	37	12	1(72)	4(36)	1	4	9,996	10,596	826	826	987	1075
07WTM30X84V42 () ()	JD WATERFALL TABLE 30x84x42	30	84	42	37	12	1(84)	4(42) - 6(28)	1	4	10,716	11,359	826	826	987	1075
07WTM30X96V42 () ()	JD WATERFALL TABLE 30x96x42	30	96	42	37	12	2(48)	6(32)	1	4	14,451	15,318	826	826	987	1075
07WTM30X108V42 () ()	JD WATERFALL TABLE 30x108x42	30	108	42	37	12	2(54)	6(36) - 8(27)	2	4	15,350	16,271	1652	1652	987	1075
07WTM30X120V42 () ()	JD WATERFALL TABLE 30x120x42	30	120	42	37	12	2(60)	8(30)	2	6	16,296	17,274	1652	1652	1364	1457
36" Deep • 42" High																
07WTM36X72V42 () ()	JD WATERFALL TABLE 36x72x42	36	72	42	37	12	1(72)	4(36)	1	4	11,142	11,811	826	826	987	1075
07WTM36X84V42 () ()	JD WATERFALL TABLE 36x84x42	36	84	42	37	12	1(84)	4(42) - 6(28)	1	4	12,325	13,065	826	826	987	1075
07WTM36X96V42 () ()	JD WATERFALL TABLE 36x96x42	36	96	42	37	12	2(48)	6(32)	1	4	16,025	16,987	826	826	987	1075
07WTM36X108V42 () ()	JD WATERFALL TABLE 36x108x42	36	108	42	37	12	2(54)	6(36) - 8(27)	2	4	17,138	18,166	1652	1652	987	1075
07WTM36X120V42 () ()	JD WATERFALL TABLE 36x120x42	36	120	42	37	12	2(60)	8(30)	2	6	18,213	19,306	1652	1652	1364	1457
42" Deep • 42" High																
07WTM42X72V42 () ()	JD WATERFALL TABLE 42x72x42	42	72	42	37	12	1(72)	4(36)	1	4	12,290	13,027	826	826	987	1075
07WTM42X84V42 () ()	JD WATERFALL TABLE 42x84x42	42	84	42	37	12	1(84)	4(42) - 6(28)	1	4	13,403	14,207	826	826	987	1075
07WTM42X96V42 () ()	JD WATERFALL TABLE 42x96x42	42	96	42	37	12	2(48)	6(32)	1	4	17,596	18,652	826	826	987	1075
07WTM42X108V42 () ()	JD WATERFALL TABLE 42x108x42	42	108	42	37	12	2(54)	6(36) - 8(27)	2	4	19,028	20,170	1652	1652	987	1075
07WTM42X120V42 () ()	JD WATERFALL TABLE 42x120x42	42	120	42	37	12	2(60)	8(30)	2	6	19,905	21,099	1652	1652	1364	1457

Options:

- () Table (Veneer) Finish
- () No Power (NP) • Topmount Plug-In (TMPI) • Topmount Hardwire (TMHW) • Perimeter USB Plug-In (PUPi) • Perimeter USB Hardwire (PUHW)
- () Topmount Finish (If Required)